

Everyday Productivity

Expand your view and your productivity with this 54.5 cm (21.45-inch) diagonal, FHD monitor when you're working or learning. This sleek, sizeable monitor makes computing easy and complete via a crisp, smooth screen and simple design, so you can do more everyday.



In Full View

Enjoy how your projects or assignments look on this monitor with excellent, front-of-screen views. It boasts FHD resolution and AMD FreeSync™ technology featuring a 75Hz refresh rate¹ for sharp images and fluid motion.

Modern Design. Functional Fit.

Clear your mind and your desk with a monitor designed to work in any space. Keep the focus on your screen through the sleek profile, neat cable management, and slim stand with adjustable tilt for your perfect view.

Intuitive Inputs. Easy Control.

Make your workspace as simple as possible, so you can concentrate on what you do best. Easily setup your monitor by customizing your settings with the intuitive Joypad OSD button or manage them directly from the screen with HP Display Center².

Reduce. Repurpose. Recycle.

To do more for the planet, we are helping to close the loop by repurposing IT equipment in our newest EPEAT® registered³ and ENERGY STAR® monitors. To go above and beyond, these monitors contain 85% recycled plastics solely from recycled ITE plastics⁴. Plus, this monitor ships in 100% recyclable packaging⁵.

Featuring

75 Hz Refresh Rate

Experience smooth, life-like video and clear detail with a 75 Hz refresh rate that provides fluid movement from frame to frame.¹

Narrow bezel display

By squeezing a larger screen into a smaller frame, this narrow bezel optimizes your display's appearance with an efficient design.

Easy Joypad OSD Button

It's never been easier to configure your display with the Joypad OSD button to adjust brightness, resolution, and volume.

Low Blue Light Mode

Keep your eyes comfortable with subtly warmer display colors onscreen.

With the Environment in Mind

Meeting the latest standards with EPEAT® registered, ENERGY STAR® and TCO certifications.³

Thoughtful Product Packaging

We use 100% recyclable packaging that meets recycling requirements, so it can stay out of the landfill. 5,6

Neat Cable Management

Neat cable management solution for a cleaner workspace and more productivity.

HP Display Center

Customize your display with easy, intuitive HP Display Center software that lets you tailor your settings, partition screens, and even dim the screen.2

AMD FreeSync™

AMD FreeSync™ technology provides smooth, tear-free videos by reducing input latency, screen tearing, and stuttering.⁷

⁶ Recycling facilities not available in all locations.
7 FreeSync™ is only available when it is connected on Display Port or HDMI. FreeSync is an AMD® technology is enabled on FHD or QHD displays AMD Radeon Graphics and/or AMD A-Series APU-compliant monitors with DisplayPort/HDMI Adaptive-Sync required. AMD 15.11 Crimson driver (or newer) required to support FreeSync over HDMI. Adaptive refresh rates vary by monitor. More information is available at www.amd.com/freesync.







Product number	6D8G2AS
UPC number	(A2N) 196548759415; (ABB) 196548759446; (ABT) 196548759491; (ABV) 196548759521; (ACQ) 196548759538
Tilt	-5 to +23°
Display size	54.5 cm (21.45°)
Display colors	Up to 16.7 million colors supported ³
Aspect ratio	16.9 ¹
Display type	VA
Pixel pitch	0.25 x 0.24 mm
Response time	5ms GtG (with overdrive) ¹
Brightness	200 nits ¹
Contrast ratio	3000:11
Display contrast ratio (dynamic)	900000:1
Product color	Black; 72% NTSC
Resolution (maximum)	FHD (1920 x 1080 @ 75 Hz) ¹
Resolutions supported	640 × 480; 720 × 400; 800 × 600; 1024 × 768; 1280 × 720; 1280 × 800; 1280 × 1024; 1440 × 900; 1600 × 900; 1680 × 1050; 1920 × 1080
Display scan frequency (horizontal)	54-84.3 kHz
Display scan frequency (vertical)	48-75 Hz
Display features	On-screen controls; AMD FreeSync™; Low blue light mode; Anti-glare
Physical security features	Security lock-ready ¹⁰
Environmental specifications	Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; 85% post-consumer recycled plastic; 100% ITE-derived closed loop plastic; Low Halogen 5.6.7.8
Energy efficiency	Energy efficiency class: E; On-mode power consumption: 21 W (maximum); Standby; 0.5 W (standby); Power consumption (on-mode): 21 W (maximum); Power consumption (off-mode): 11 W (typical)
Display User Control Options	Power control; Brightness; Exit; Menu control; Input control; Information; Color control; Image control; Management
Operating temperature range	5 to 35°C
Operating temperature range	41 to 95°F
Operating humidity range	20 to 80% RH
Ecolabels	EPEAT® registered; TCO Certified configurations available ⁶ ; ENERGY STAR® certified
Power supply	100 - 240 VAC 50/60 Hz
VESA mount	400 400 12
VESATIOUTIL	$100 \text{mm} \text{x} 100 \text{mm}^{12}$
Pallet dimensions (Width x Depth x Height)	96.8 x 113.4 x 206.3 cm
Pallet dimensions (Width x Depth x Height)	96.8 x 113.4 x 206.3 cm
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi)	96.8 x 113.4 x 206.3 cm 103 ppi
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC)
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178°
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle	96.8×113.4×206.3 cm 103 ppi 8 bit (6 bit + FRC) 178°
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel	96.8×113.4×206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23°
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23° 3H
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23° 3H Anti-glare
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23° 3H Anti-glare Yes (TÜV certified)
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23° 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified)
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23° 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HDMI 1.4
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23° 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HDMI 1.4 Yes, HDMI
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23° 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HDMI 1.4 Yes, HDMI HP Display Center ¹¹
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23° 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HOMI 1.4 Yes, HDMI HP Display Center ¹¹ 1 year limited warranty Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; CSA; EAC; ENERGY STAR®, FCC; ISO 9241-307; KC/KCC; Microsoft WHQL Certification; NOM; PSB; ROHS; SEPA; TCO Certified Edge; TUV
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty Certifications and compliances	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178° 178° Narrow -5 to +23° 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HDMI 1.4 Yes, HDMI HP Display Center ¹¹ 1 year limited warranty Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; CSA; EAC; ENERGY STAR®; FCC, ISO 9241-307; KC/KCC; Microsoft WHOL Certification; NOM; PSB; RoHS; SEPA; TCO Certified; TCO Certified Edge; TUV Bauart; TUV LBI; VCCI; Vietnam MEPS; WEEE; ISC; China Energy Label (CEL) Grade 2; California Energy Commission (CEC); WW application; ICE; UAE; Ukraine certificates; NRCS of South Africa; TÜV Flicker free certified
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty Certifications and compliances	96.8 x 113.4 x 206.3 cm 103 ppl 8 bit (6 bit + FRC) 178* 178* Narrow -5 to +23* 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HDM 1.4 Yes, HDMI HP Display Center ¹¹ 1 year limited warranty Australian-New Zealand MEPS; BIS; BSM; CB; CCC; CB; CECP; CBL; CSA; EAC; ENERGY STAR®; FCC; ISO 9241-307; KC/KCC; Microsoft WHQL Certification; NOM; PSB; ROHS; SEPA; TOO Certified; TOO South Africa; TÜV Ficker free certified Monitor; HDMI cable; Warranty card; Quick Setup Poster; Doc-kit; AC power cord®
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty Certifications and compliances What's in the box Dimensions (L x W x H)	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178* 178* Narrow -5 to +23* 3H Anti-glare Yes (TÜV certified) 1 Yes (TÜV certified) 1 Yes, HDMI 1.4 Yes, HDMI 1.4 Yes, HDMI 1.4 Yes, HDMI 1.9 1 Yes (TÜV certified)
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty Certifications and compliances What's in the box Dimensions (L x W x H) Weight	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178" 178" Narrow -5 to +23" 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HDMI 1.4 Yes, HDMI HP Display Center ¹¹ 1 year limited warranty Australian-New Zealand MEPS; BIS; BSMI; CB; CCC, CE; CECP, CEL; CSA; EAC; ENERGY STAR®, FCC; ISO 9241-307; KC/KCC; Microsoft WHQL Certification; NOM; PSB; RoHS; SEPA; TCO Certified Edge; TUV Bauart; TUV LEL; VCC; Vietnam MEPS; WEE; CIS; China Energy Label (CEL) Grade 2; California Energy Commission (CEC); Ww application; ICE; UAE; Ukraine certificates; NRCS of South Africa; TÜV Flicker free certified Monitor; HDMI cable; Warranty card; Quick Setup Poster; Doc-kit; AC power cord ⁹ 5.0.42 x 5.08 x 3.0.3 cm 2.8 kg
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty Certifications and compliances What's in the box Dimensions (L x W x H) Weight Package Dimensions (L x W x H)	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178* 178* Narrow -5 to +23* 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HDMI 1.4 Yes, HDMI HP Display Center ¹¹ 1 year limited warranty Autsplan-New Zealand MEPS; BIS; BSM; CB; CCC; CE; CECP; CEL: CSA, EAC; ENERGY STAR®-; FCC; ISO 9241-307; KC/KCC; Microsoft WHOL Certification; NOM; PSB, RoHS; SEPA; TCO Certified Edge; TUV Autsplan-New Zealand MEPS; BIS; BSM; CB; CCC; CE; CECP; CEL: CSA, EAC; ENERGY STAR®-; FCC; ISO 9241-307; KC/KCC; Microsoft WHOL Certification; NOM; PSB, RoHS; SEPA; TCO Certified Edge; TUV Bauart; TUV Elizy CCC; Welram PHSPS; WEEE; ISC; China Energy Label (CEL) Grade 2; California Energy Commission (CEC); Ww application; ICE; UAE; Ukraine certificates; NRCS of South Africa; TÜV Flicker free certified Monitor; HDMI cable; Warranty card; Quick Setup Poster; Doc-kit; AC power cord® 5.0.42 x 5.08 x 3.0.3 cm 2.8 kg 5.67 x 12.1 x 38.7 cm
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty Certifications and compliances What's in the box Dimensions (L x W x H) Weight Package Dimensions (L x W x H) Package weight	96,8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178" 178" Narrow -5 to +23" 3H Anti-glare Ves (TÜV certified) Ves (TÜV certified) 1 VGA; 1 HDMI 1.4 Ves, HDMI HP Display Center ¹¹ 1 year limited warranty Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CECP; CEL; CSA; EAC; ENERGY STAR®, FCC; ISO 9241-307; KC/NCC; Microsoft WHQL Certification; NOM; PSB; ROHS; SEPA; TCO Certified Edge; TUV Bauart; TUV. LBI; VCC; Vethram MEPS; WEEE; SC; China Energy Label (CEL) Grade 2; California Energy Commission (CEC); WW application; KE; UAE; Ukraine certificates; NRCs of South Africa; TÜV Flicker free certified Monitor; HDMI table; Warranty card; Quick Setup Poster; Doc-kit; AC power cord 50.42 x 5.08 x 30.3 cm 2.8 kg 56.7 x 12.1 x 38.7 cm 4.3 kg
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty Certifications and compliances What's in the box Dimensions (L x W x H) Weight Package Dimensions (L x W x H) Package weight Pallet (layers)	96.8 x 113.4 x 206.3 cm 103 ppi 8 bit (6 bit + FRC) 178* 178* Narrow -5 to +23* 3H Anti-plane Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HDMI 1.4 Yes, HDMI HP Display (Enter ¹¹ 1 year limited warranty Australian-Nez-Baland (REPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; CSA EAC; ENERGY STAR®; FCC; ISO 9241-307; KC/RCC; Microsoft WHQL Certification; NOM; PSB; RoHS; SEPA; TCO Certified Edge; TUV Balant; TUV LBL; VCC; Vernam MEPS; WEEE; ISC; China Energy Label (CEL) Grade 2; California Energy Commission (CEC); WW application; ICE; UAE; Ukraine certificates; NRCS of South Africa; TÜV Plicker free certified Monitor; HOMI cable; Warranty card; Quick Setup Poster; Doc-kit; AC power cord® 50.42 x 5.08 x 30.3 cm 2.8 kg 56.7 x 12.1 x 38.7 cm 4.3 kg 6
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty Certifications and compliances What's in the box Dimensions (L x W x H) Weight Package Dimensions (L x W x H) Package weight Pallet (layers) Products per layer	96.8 x 113.4 x 206.3 cm 103 ppi 8bit (6 bit + FRC) 178* 178* Narrow -510 +22* 3H Anti-glare Yes (TÜV certified) 1V6.(*) HOMI 1.4 Yes, HOMI HP Display (Enter **) 1 year limited warranty Australian-New Zealand MEPS, BIS, BSM; CB, CCC; CE; CECP, CEL; CSA, EAC; ENERGY STAR®-FCC; ISO 9241-307; KC/NCC; Microsoft WHQL Certification; NOM; PSB, RoHS; SEPA; TCO Certified Edge; TUV Australian-New Zealand MEPS, BIS, BSM; CB, CCC; CE; CECP, CEL; CSA, EAC; ENERGY STAR®-FCC; ISO 9241-307; KC/NCC; Microsoft WHQL Certification; NOM; PSB, RoHS; SEPA; TCO Certified Edge; TUV Australian-New Zealand MEPS, BIS, BSM; CB, CCC; CE; CECP, CEL; CSA, EAC; ENERGY STAR®-FCC; ISO 9241-307; KC/NCC; Microsoft WHQL Certification; NOM; PSB, RoHS; SEPA; TCO Certified Edge; TUV Australian-New Zealand MEPS, BIS, BSM; CB, CCC; CE; CECP, CEL; CSA, EAC; ENERGY STAR®-FCC; ISO 9241-307; KC/NCC; Microsoft WHQL Certification; NOM; PSB, RoHS; SEPA; TCO Certified Edge; TUV Australian-New Zealand MEPS, BIS, BSM; CB, CCC; CE; CECP, CEL; CSA, EAC; energy Commission (CEC), Ww application; KCE; UAE; Ukraine certificates; NRCS of South Africa; TUV Filcker free certified Monitor; HOM cable; Warranty Card; Quick Setup Poster; Doc-kit; AC power cord® 50.42 x 5.08 x 3.0.3 cm 2.8 kg 6 16
Pallet dimensions (Width x Depth x Height) Pixels per inch (ppi) Panel bit depth Vertical viewing angle Horizontal viewing angle Bezel Tilt Hardness Screen treatment Flicker-free Low blue light modes Port and Connectors HDCP Management software Warranty Certifications and compliances What's in the box Dimensions (L x W x H) Weight Package Dimensions (L x W x H) Package weight Pallet (layers) Products per Jallet	968 x 113.4 x 2063 cm 103 ppi 8bit (bit + FRC) 178* Narrow -5 to +23* 3H Anti-glare Yes (TÜV certified) Yes (TÜV certified) 1 VGA; 1 HDMI 1.4 Yes, HDM HP Display Center ¹¹ 1 year limited warranty Australian-New Zealand MEPS; BIS; BSM; CB: CCC; CE; CECP, CEL; CSA; EAC; ENERGY STAR*, FCC; ISO 9241-307; KC/KCC; Microsoft WHQL Certification; NOM; PSB; RoHS; SEPA; TCO Certified Edge; TLV Basart, TUV LBL, VCC; William MEPS, MEE; SCC, Clina Energy Label (ICCL) Grade 2; California Energy Commission (ICC); WW application; CE; UAE; Ukraine certificates; NNCS of South Africa; TUV Pickse Tire certified 50.42 x 5.68 x 30.3 cm 2.8 kg 56.7 x 12.1 x 38.7 cm 4.3 kg 6 16

Messaging Footnotes

- ¹ All performance specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower. ² Host PC requires Windows 10 or higher. HP Display Center is available on the Microsoft store.
- ³ Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. EPEAT® status varies by country. Visit www.epeat.net for more information. ⁴ ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1-2018 standard.
- 5 100% outer box/corrugate cushion packaging made from sustainably sourced certified and recycled fibers. Fiber cushions made from 100% recycled wood fiber and organic material. Any plastic cushions are made from >90% recycled plastic. Excludes plastic bags and plastic foam sheeting

Technical Specifications Footnotes

- 1 All specifications represent the typical specifications provided by HP's component manufacturers; actual performance may vary either higher or lower
- ² HDMI 1.4 or VGA required to drive panel at its native resolution. The video card of the connected PC must be capable of supporting 1920 x 1080 at 60 Hz with 8-bit color using one HDMI, VGA. The video card of the connected PC must be acapable of supporting 1920 x 1080 and include one HDMI or one VGA outputs to drive the monitor at the Preferred Mode.

 Number of colors through A-FRC technology.

 EPEAT® registered where applicable. EPEAT® registration varies by country. See www.epeat.net for registration status by country. Based on US EPEAT® registration according to IEEE 1680.1-2018 EPEAT®. Status varies by country. Visit www.epeat.net for more information.

- Securified plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

 Molded pulp cushions are made from 100% recycled wood fiber and organic materials.

 External power supplies, WWAN modules, power cords, cables and peripherals excluded. Service parts obtained after purchase may not be Low Halogen.
- $^{\rm 8}$ ITE Derived Closed Loop Plastic percentage is based on the definition set in the IEEE 1680.1–2018 standard. $^{\rm 9}$ Included cables may vary by country.
- 10 Lock sold separately.
- 11 HP Display Center requires Windows 10 (or higher) on host PC and is available from the Windows store 12 Mounting hardware sold separately.

