

DUAL-RTX4060-8G-WHITE

2x Fans. 2x Fun.

ASUS Innovations

NV Features

- NVIDIA Ada Lovelace Streaming Multiprocessors Up to 2x performance and power efficiency
- 4th Generation Tensor Cores Up to 4x performance with DLSS 3 vs. brute-force rendering
- **3rd Generation RT Cores** Up to 2x ray tracing performance

Axial-Tech Fan Design

Two tried-and-true Axial-tech fans feature a smaller hub that facilitates longer blades and a barrier ring to increase downward air pressure.

Dual Ball Fan Bearings

Ball bearings excel at durability and can last up to twice as long as sleeve bearing designs.







2.5-slot Design

A carefully designed shroud, heatsink, and heatpipe layout allows the two Axial-tech fans to leverage chassis side-panel ventilation and deliver thermal performance that belies the card's size.

Protective Backplate

The PCB is reinforced by an aluminum backplate that adds structural rigidity, helping to prevent flex and protect components and trace pathways from damage.


Stainless Steel Bracket

The mounting bracket of the Dual has been beefed up with 304 Stainless Steel that's harder and more resistant to corrosion.




Auto-Extreme Technology

Auto-Extreme Technology is an automated manufacturing process that sets new standards in the industry by allowing all soldering to be completed in a single pass. This reduces thermal strain on components and avoids the use of harsh cleaning chemicals, resulting in less environmental impact, lower manufacturing power consumption, and a more reliable product overall.



DUAL BIOS

Performance mode will let the fans spin up to keep the card running cool all the time. Quiet mode keeps the same power target and top-end settings, but offers a less aggressive fan curve for quieter operation at medium temps.



Software Suite

Hardware and software come together to let you fully customize your experience and get the most out of your graphics card. GPU Tweak III allows for hardware tweaking and monitoring, and QuantumCloud utilizes your spare GPU computing power to generate passive income.





ASUS Features


8GB GDDR6 Memory

On-board memory for the best gaming experience and the best resolution.

OdB Technology

An advanced controller brings fans to a standstill below 50 Celsius, letting you enjoy light gaming in relative silence.

I/O Specifications





NV Features

Resizable BAR is an advanced PCI Express feature that enables the CPU to access the entire GPU frame buffer at once, improving performance in many games.



Game Ready Drivers

GeForce Game Ready Drivers deliver the best experience for your favorite games. They're finely tuned in collaboration with developers and extensively tested across thousands of hardware configurations for maximum performance and reliability.



GeForce Experience

Capture and share videos, screenshots, and live streams with friends. Keep your drivers up to date and optimize your game settings. GeForce Experience lets you do it all. It's the essential companion to your GeForce graphics card



NVIDIA G-SYNC

Get smooth, tear-free gameplay at high refresh rates, plus HDR and more. This is the ultimate gaming display and the go-to equipment for enthusiast gamers.



NVIDIA Ansel

Turn your screenshots into art with this powerful in-game photo mode that captures 360, HDR, and super-resolution photos.



Virtual Reality

The highest performance graphics deliver the smoothest, most immersive VR experiences.



| Specifications | |
|---------------------------------------|---|
| Model Name | DUAL-RTX4060-8G-WHITE |
| Graphics Engine | NVIDIA GeForce RTX™ 4060 |
| CUDA Cores | 3072 |
| OpenGL [®] | OpenGL [®] 4.6 |
| Engine Clock | OC Mode : TBD MHz (Boost Clock) |
| | Default Mode : TBD MHz (Boost Clock) |
| Memory Interface | 128-bit |
| Video Memory | 8GB GDDR6 |
| Memory Clock | 17 Gbps |
| Power Connector | 1x 8 pin |
| 1/0 | 1 x Native HDMI 2.1a |
| | 3 x Native DisplayPort 1.4a |
| HDCP Compliant | HDCP 2.3 |
| Digital Max. Resolution | 7680 x 4320 |
| Maximum Display Support | 4 |
| NVLink/Crossfire Support | NA |
| Recommended PSU | 550W |
| Bus Standard | PCIE 4.0 |
| Package Contents | 1 x Collection Card / 1 x Speedsetup Manual / 1 x Thank you Card |
| Software Bundled | ASUS GPU Tweak III & GeForce Game Ready Driver & Studio Driver |
| | (Please download all software from the support site.) |
| Slot | 2.5-slot |
| Dimension | |
| Card Size (mm/inch) | 200 x 123 x 38 mm |
| | 7.87 x 4.84 x 1.496 inches |
| Color Box (mm) | 303 x 220 x 55 mm |
| Weight | |
| Single Card (KG) | 0.616 |
| Product Weight (with packing) (KG) | 1.121 |
| Note | Our wattage recommendation is based on a fully overclocked GPU and CPU system configuration. For a more tailored suggestion, please use the "Choose By Wattage" feature on our PSU product page: https://rog.asus.com/event/PSU/ASUS-Power-Supply-Units/index.html All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets. If you do not use the latest and current specifications of ASUS products, you shall be liable for all loss and damage claimed by third party to ASUS based on false advertising or any other issues caused from using false specifications of ASUS products. |