# **HP USB-C to DisplayPort Adapter G2**

# Simple, powerful, portable

Unlock 8K<sup>2</sup> with one connection. The HP USB-C to DisplayPort Adapter G2 supports stunning displays with an easy-to-use plug-and-play<sup>1</sup> design. Gain the power of broad compatibility for an unrestricted workflow, anywhere you go.



\*Product image may differ from actual product



### Plug-and-play. On-the-go.

Level up the way you work with an adapter that connects to 8K<sup>2</sup> displays. Featuring top-tier DisplayPort™ 1.4, simply plug in for high-performance connection up and downstream – no SW downloads or drivers needed¹.



### The ultimate team player

Get ready to break brand barriers with the power of multi-OS support.

Move between Windows®, Linux®,
Chrome, MacOS, iPadOS, or Android,
even non-HP devices, for an
unstoppable workflow.



# Ultra lightweight and ready to

Choose travel-ready tech. The singleside USB-C\* to DisplayPort™ 1.4 supports total connection from almost anywhere. Plus, it's ultra lightweight at just 32.5g, meaning you've got the gear for work on the go.

### Sustainability in action

#### Built for a better tomorrow

The better choice for a brighter tomorrow, this adapter is made with at least 80% post-consumer recycled plastics<sup>4</sup> and FSC<sup>®</sup>-certified packaging.



# HP USB-C to DisplayPort Adapter G2

## **Specifications**







Product number	8Y8Y1AA
Video connectors	1 DisplayPort™ 1.4
Resolution (maximum)	7680 x 4320 @ 60 Hz
Cable length	12 cm
Product color	Black
Supported operating systems	Windows 10; Windows 11; macOS; Chrome OS™; iPadOS; Android™
System Requirements, Minimum	USB Type-C® with Alt Mode DisplayPort™; Thunderbolt™ 4; Thunderbolt™ 3
Warranty	HP standard one-year limited warranty
What's in the box	Dongle Warranty card
Country of origin	Product of China
Dimensions (W x D x H)	180 x 23.7 x 15.3 mm
Weight	32.5 g
Package dimensions (W x D x H)	160 x 140 x 17.6 mm
Package weight	51 g
Master carton quantity	80
Master carton dimensions (W x D x H)	50 x 33 x 22 cm
Master carton weight	1.55 kg
Carton per layer	7
Pallet (layers)	6
Carton per pallet	42
Products per layer	560
Products per pallet	3360
Pallet weight	62.53 kg
Sustainable impact specifications	80% post-consumer recycled plastic; Packaging is recyclable <sup>1,2</sup>



# **HP USB-C to DisplayPort Adapter G2**

#### **Footnotes**

### **Messaging Footnotes**

- <sup>1</sup>Host PC USB-C<sup>®</sup> port must support DP Alt mode.
- $^2$  Supports up to 8K (7680x4320@60Hz) with Display Stream Compression.
- $^3$  Supports Windows 10, Windows 11, ChromeOS, Android, iPad $^{\! \circ}$  , MacOS $^{\! \circ}$  , Linux $^{\! \circ}$  .
- <sup>4</sup> Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled is based on the definition set in the EPEAT® standard for computers, IEEE 1680.1-2018 standard.

### Technical Specifications Footnotes

<sup>1</sup>Recycled plastic content percentage is based on the definition set in the IEEE 1680.1-2018 standard.

<sup>2</sup> Outside Box and corrugated cushions are recyclable. Any plastic cushions are made from >90% recycled plastic. Recycling facilities not available everywhere.

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. iPad\* and MacOS are trademarks of Apple Computer, inc., registered in the U.S. and other countries. Linux\* is the registered trademarks of Microsoft Corporation in the United States and/or other countries. © 2024 Google LLC Highst reserved. Chrome and Android are trademarks of Google LLC. USB Type-C\* and USB-C\* are registered trademarks of USB Implementers Forum. DisplayPort\* and the DisplayPort\* logo are trademarks owned by the Video Electronics Standards Association (VESA\*) in the United States and other countries.

