

Product Compliance Datasheet

MARKETING NAME...... Dell EMC PowerEdge R340

REGULATORY MODEL...... E58S

REGULATORY TYPE..... E58S001

EMC EMISSIONS CLASS......: A

EFFECTIVE DATE...... December 4, 2018

Table of contents

Ι.	Statement of Compliance
	Global Environmental Information
	Declaration of Similarity
	Power Cords and User Documentation
	Trade (Import/Export) Compliance Data
	Product Dimensions and Weight
	Performance Data
	.Product Materials Information
	Packaging
X.	Batteries
XI.	Design for Environment
XII.	Recycling / End-of-Life Service Information
XIII	.Helpful Links
Α	Appendix A: FrP Lot 3 Product Energy Consumption Information



I. Statement of Compliance

This product has been determined to be compliant with the applicable standards, regulations, and directives for the countries where the product is marketed. The product is affixed with regulatory marking and text as necessary for the country/agency. Dell manufacturers and markets Multimedia Equipment (MME), Information Technology Equipment (ITE), Audio Visual Equipment (A/V), Industrial, Scientific, Medical Equipment (ISM) or combinations of these. Generally, products Electromagnetic Compatibility (EMC) and Product Safety compliance is based on International IEC and CISPR standards and their national equivalent along with national standards for Radio (wireless), Telecommunications (Modem) and Energy. Dell products have been verified to comply with the Restriction of Hazardous Substances (RoHS) Directive 2011/65/EU of the European Parliament and the Council. Dell product does not contain any of the restricted substances in concentrations and applications not permitted by the RoHS Directive.

EMC Emissions Class refers to one of the following use environments:

- EMC Class B product is intended for use in residential/domestic environments but may also be used in nonresidential/non-domestic environments.
- EMC Class A product is intended for use in non-residential/non-domestic environments. Class A
 product may also be utilized in residential/domestic environments but may cause interference and
 require the user to take adequate corrective measures.

For Product Safety and EMC compliance, this product has been assigned a unique regulatory model and regulatory type that is imprinted on the product regulatory labeling to provide traceability to the regulatory approvals noted on this datasheet. This datasheet applies to any product that utilizes the assigned regulatory model and type including marketing names other than those listed on this datasheet. Dell products with the CE marking have been verified to comply with Energy Related Products (ErP) Directive 2009/125/EC of the European Parliament and of the Council.. REACH (Registration, Evaluation, Authorization and Restriction of Chemicals), Regulation (EC) 1907/2006 of the European Parliament and of the Council is the European Union's (EU) chemical substances regulatory framework. Dell complies with the REACH regulation. For information on SVHC (Substances of Very High Concern), see www.dell.com/REACH. This products compliance documentation, such as this datasheet and the European Union Declaration of Conformity are available on the product support page, manuals tab http://www.dell.com/support. Additional compliance documentation for the product is available upon email request to product-compliance@dell.com. Please include product identifiers such as marketing name, regulatory model, regulatory type and country that compliance information is needed in the email request.



2

II. Global Environmental Information

Environmental (Voluntary Marks)				
Country	Approval	Compliance		
Global	ENERGY STAR (Configuration Dependent)	2.1		
China	CECP	Yes		
China	CEC	Yes		
Varies by Country See <u>EPEAT.net</u>	EPEAT (Configuration Dependent)	Refer to EPEAT.net for specific registration levels and countries		

III. Declaration of Similarity

Object of the Declaration		
Product Type	Server	
Regulatory Model Number	E58S	
Regulatory Type Number	E58S001	
Trade Name/ Trade Mark	DELL EMC	
Marketing Name(s)	PowerEdge R340	

Dell Inc. herby declares that the products identified by the product designations listed in this declaration are strictly identical in design (shape, opening, etc.) components, materials, manufacturing process, and markings except for product designation – Trade Name and/or Trade Mark as specified in this declaration.

The products may have very minor differences which do not impact the level of conformity. All products identified by the product designations in this declaration have the same level of conformity according to the certificate(s) provided.

The Trade Name / Trade Mark and/or Marketing Name(s) are the property of Dell Inc. Any differences in the product designation are for marketing purposes only.

Date of Issue	December 04, 2018		
Title	Dell Global Product Compliance and Environmental Affairs	Signature on behalf of Dell Inc.	Dell Inc. Dell Global Product Compliance and Environmental Affairs



IV. Power Cords and User Documentation

Dell products are provided with the power cord and user documentation suitable for the intended country of delivery. Products that are relocated to other countries should use nationally certified power cords and plugs to ensure safe operation of the product. Contact Dell to determine if alternate power cords or user documentation in other languages is available for your market.

V. Trade (Import/Export) Compliance Data

For any questions related to importing & exporting classification of Dell products, please obtain information from the following link: http://www.dell.com/learn/us/en/uscorp1/import-export or send email request to WW_Export_Compliance@dell.com. Please include product identifiers such as marketing name, regulatory model, regulatory type and country that compliance information is needed in the email request.

VI. Product Dimensions and Weight

Depth,	Width,	Height,	Weight, kg
mm/cm	mm/cm	mm/cm	
534.5 mm (without bezel / 4 x 3.5 inch HDDs system) 483.72 mm (without bezel / 8 x 2.5 inch HDDs system)	482.0 mm (with rack latched) 434.0 mm (without rack latched)	42.8 mm	13.2 Kg (Max. / 4 HDDs system) 12.0 Kg (Max. / 8 HDDs system)

VII. Performance Data

ErP Lot 3 information is located in section XIII Appendix A

For additional information on ENERGY STAR models refer to the following databases:

http://www.dell.com/learn/us/en/uscorp1/dell-environment-energy-efficiency?c=us&l=en&s=corp&cs=uscorp1

USA: https://www.energystar.gov/productfinder/

* Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of equipment ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click here for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available here

* This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely



upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.

For more details visit www.dell.com/environmental information

VIII. Product Materials Information

Information on Dell's material use is available here.

Dell's Restricted Material for Use guidance document is available here.

- The case material is, > Steel <
- This product contains 0% post-consumer recycled plastic/closed loop recycled plastics (Measured as a percentage of total amount of plastic (by weight) in the product as per guidance in EPEAT standard as applies to plastics parts)

Mechanical plastic parts ¹ > 25 g are BFR/PVC free	Yes □ No □ NA
Marking of plastics parts greater than 25 grams is in accordance with ISO 11469 (see below)	⊠ Yes □ No □ NA
Printed circuit boards (without components) >25g are BFR PVC free ²	☐ Yes ☒ No ☐ NA
Insulation materials of external electrical cables are PVC free	☐ Yes ☒ No ☐ NA
Insulation materials of internal electrical cables are PVC free	☐ Yes ☒ No ☐ NA
Product is BFR/PVC Free (Accessories & Options may not be BFR/PVC-Free, refer to spec ENV0199)	☐ Yes ☒ No

Flame Retardants Used in Motherboard

Part	Flame Retardant
Motherboard	TBBPA

² Dell will adopt the BFR/CFR/PVC-free definition as set forth in the "iNEMI Position Statement on the Definition of 'Low-Halogen' Electronics (BFR/CFR/PVC-Free)." Plastic parts contain <1000 ppm (0.1 percent) of bromine (if the Br source is from BFRs) and <1000 ppm (0.1 percent) of chlorine if the CI source is from CFRs, PVC or PVC copolymers. All printed circuit board (PCB) and substrate laminates contain bromine/chlorine totaling less than 1,500 ppm (0.15 percent), with maximum chlorine of 900 ppm (0.09 percent) and maximum bromine of 900 ppm (0.09 percent)



¹ Mechanical plastic part: plastic parts that do not internally carry an electrical signal such as housings, brackets, bezels, latches, etc. that form the basic structure of the product and/or have mechanical functions. Plastic parts such as fans, connectors, printer fuser assemblies, etc. are not considered "mechanical plastic parts" in the context of this specification. Plastics parts do not contain no more than 0,1% weight (1000 ppm) bromine and 0,1% weight (1000 ppm) chlorine attributable to brominated flame retardants, chlorinated flame retardants, and polyvinyl chloride (Per Dell Spec ENV0424)

Flame Retardants Used in Mechanical Plastic Parts > 25 grams

Resin Material Name	Marking per ISO 11469:2016	Flame Retardant Marking per ISO 1043-4 (i.e. FR(16), FR(40), etc.)	Flame Retardant (i.e. TBBPA, triaryl phosphate ester, etc.)	List applicable R- Phrase(s) or Hazard Statement(s) per EU Directive 67/548/EEG or 1272/2008
SABIC Cycoloy C6200	>PC+ABS FR(40)<	FR(40)	Organo Phosphate	N/A

Mercury Information

Number of bulbs	Average per bulb
0	0 mg

Additional information:

RoHS and REACH declaration - see product material information section at:

www.dell.com/environmental_information

• Products MSDS (Material Safety Data Sheets):

Batteries: Battery MSDS Documentation and Declaration

Printer Toner and Ink: MSDS Documentation

IX. Packaging

Information on Dell's sustainable packaging effort available <u>here</u>.

Additional materials restricted in Packaging as per Dell's Restricted Material Guidance document found here.

Packaging		Sustainable Material Content ³ (e.g. Recycled	% Sustainable Material		
Materials	Total Weight, (kg)	content *,bio-based, Sustainable Forested materials)	APJ region	DAO region	EMEA region
Corrugated Fiberboard	3.58 kg	Recycled Content	Min 50%	Min 50%	Min 50%
LDPE Bags	0.74 kg (2.5 HDD) 0.68 kg (3.5 HDD)	Recycled Content	0-80%	0-80%	0%



³ Non-wood, biobased material may include, but is not limited to: bagasse, bamboo, mushroom, straw, agricultural waste or byproduct.

^{*} Recycled content in packaging material is supplier dependent.

X. Batteries

Below is a listing of batteries that could be present in the product:

Battery Description – Batteries	Battery 1	ype Battery Weight (kg)
CR-2032 coin cell	Lithium	0.003 kg
PERC Battery	Lithium Io	n 0.016 kg

XI. Design for Environment

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit www.dell.com/environmental information

XII. Recycling / End-of-Life Service Information

Dell systems are, when applicable, designed for easy assembly, disassembly, and servicing. For more information on product Recyclability please visit www.dell.com/environmental_information



XIII. Helpful Links

• Environmental Policy

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-global-environmental-policy.pdf

Environment Website

www.dell.com/environmental information

Corporate Sustainability Report

http://www.dell.com/Learn/us/en/uscorp1/report?c=us&l=en&s=corp&delphi:gr=true

ISO 14001 Certification

http://i.dell.com/sites/content/corporate/corp-comm/en/Documents/dell-iso14001-worldwide.pdf

Materials Restricted for Use

http://www.dell.com/downloads/global/corporate/environ/restricted materials guid.pdf

Chemical Use Policy

http://i.dell.com/sites/doccontent/corporate/environment/en/Documents/chemical-use-policy.pdf

• Product Carbon Footprint

http://content.dell.com/us/en/corp/d/corp-comm/environment carbon footprint products

RoHS Compliance

www.dell.com/rohsinfo

• REACH Compliance

www.dell.com/REACH

Recycling Information

www.dell.com/recycling

• Supplier Responsibility

http://content.dell.com/us/en/corp/d/corp-comm/standards-for-suppliers.aspx



8

A Appendix A: ErP Lot 3 Product Energy Consumption Information

European Union (EU) ErP Lot 3 (Commission Regulation (EC) No. 617/2013)

The ErP Lot 3 regulation includes requirements for certain product specific information to be provided by the manufacturer. This is applicable to Desktops, Integrated Desktops (All-in-One), Notebooks, Tablets, Slates, Notebook Thin Clients, Desktop Thin Clients, Workstations, Mobile Workstations, Computer Servers, and Small Scale Servers.

ErP Lot 3 provides certain exclusions based upon product type, screen size, and/or the amount of power consumed in idle mode. Product energy and acoustic information might be reported for products that are out of scope of ErP Lot 3 for informational purposes only.

Maximum Power (Watts)	201.20
Idle Power (Watts)	117.70
Sleep Power (Watts)	NA
Off Power (Watts)	NA

Power Supply Model #	Internal or External	Link to efficiency report
L350E-S1	Internal	https://clearesult5.sharepoint.com/:b:/s/PLS/EUUBR0k_8RBGozLab3leCOUBTyxdWkVnZxQNeOrQ6-OEMA
D350E-S1	Internal	https://clearesult5.sharepoint.com/:b:/s/PLS/ET3k41aBYu9OvRZmCC-VhYEBbpZDjXsWTQkl Yj3CGGmhg
L550E-S1	Internal	https://clearesult5.sharepoint.com/:b:/s/PLS/ERJhDB3d9oxNhDuD2CluifYBU5fFiS-QNU7ee74T5pkX_w
D550E-S1	Internal	https://clearesult5.sharepoint.com/:b:/s/PLS/EXGxN90qNspDrUoQ6OHS9PEB1FBcpxtBzFM-XFLO4hlriQ

^{*} Energy Consumption results are based solely upon the laboratory testing of the System Configuration listed above. Energy consumption is tested at 230 Volts / 50 Hz.

Energy Consumption*

Energy efficiency benefits the environment and lowers the total cost of product ownership by reducing power consumption. Dell offers energy calculators that help estimate power needs, potential emissions avoidance and potential cost savings. Click here for Dell's Client Energy Savings Calculator, Data Center Capacity Planner, and Monitor Power Savings Calculator. Information on Energy Efficiency is available here

For more details visit www.dell.com/environmental information

Declared Noise Emissions in accordance with ISO 9296 (tested in accordance with ISO 7779)

Servers:

Declared A-weighted sound power level of the Server (Idle)	4.9 bels
Declared A-weighted sound power level of the Server (Operating)	4.9 bels



^{*} This document is informational only and reflects laboratory performance. Your product may perform differently, depending on the software, components and peripherals you ordered. Accordingly, the customer should not rely upon this information in making decisions about electrical tolerances or otherwise. No warranty as to accuracy or completeness is expressed or implied.