# **Inspiron 7591 2n1**

Setup and Specifications



NOTE: A NOTE indicates important information that helps you make better use of your product.
CAUTION: A CAUTION indicates either potential damage to hardware or loss of data and tells you how to avoid the problem.
WARNING: A WARNING indicates a potential for property damage, personal injury, or death.
© 2018 - 2019 Dell Inc. or its subsidiaries. All rights reserved. Dell, EMC, and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners.

Notes, cautions, and warnings

# Contents

Right Left Base Display Bottom Modes  3 Specifications of Inspiron 7591 2n1 Dimensions and weight Processors Chipset Operating system.	
Base Display Bottom Modes  3 Specifications of Inspiron 7591 2n1. Dimensions and weight Processors Chipset.	
Display	
Bottom	
Modes	
3 Specifications of Inspiron 7591 2n1.  Dimensions and weight  Processors  Chipset	
Dimensions and weight  Processors  Chipset	
Processors	10 10
Chipset	10
•	
Operating system	4.4
3 - 7 - 3	11
Memory	11
Ports and connectors	11
Communications	12
Audio	12
Storage	13
Intel Optane memory (optional)	13
Media-card reader	14
Keyboard	14
Camera	14
Touchpad	15
Touchpad gestures	15
Power adapter	15
Battery	15
Display	16
Fingerprint reader	17
Video	17
Computer environment	17
4 Keyboard shortcuts	19

# Set up your Inspiron 7591 2n1

- i) NOTE: The images in this document may differ from your computer depending on the configuration you ordered.
- 1. Connect the power adapter and press the power button.



- NOTE: To conserve battery power, the computer might enter power saving mode (sleep state). Connect the power adapter and press the power button to turn on the computer.
- 2. Finish Windows setup.

Follow the on-screen instructions to complete the setup. When setting up, Dell recommends that you:

- · Connect to a network for Windows updates.
  - NOTE: If connecting to a secured wireless network, enter the password for the wireless network access when prompted.
- · If connected to the internet, sign-in with or create a Microsoft account. If not connected to the internet, create an offline account.
- · On the **Support and Protection** screen, enter your contact details.
- 3. Locate and use Dell apps from the Windows Start menu—Recommended

### Table 1. Locate Dell apps

### Resources

### Description




### My Dell

Centralized location for key Dell applications, help articles, and other important information about your computer. It also notifies you about the warranty status, recommended accessories, and software updates if available.



### SupportAssist

Pro-actively checks the health of your computer's hardware and software. The SupportAssist OS Recovery tool troubleshoots issues with the operating system. For more information, see the SupportAssist documentation at <a href="https://www.dell.com/support">www.dell.com/support</a>.





### **Dell Update**

Updates your computer with critical fixes and latest device drivers as they become available. For more information about using Dell Update, see the knowledge base article SLN305843 at www.dell.com/support.

### Resources

### Description



### **Dell Digital Delivery**

Download software applications, which are purchased but not pre-installed on your computer. For more information about using Dell Digital Delivery, see the knowledge base article 153764 at <a href="https://www.dell.com/support">www.dell.com/support</a>.

# Views of Inspiron 7591 2n1

## Right



### 1. USB 3.1 Gen 1 ports (2)

Connect peripherals such as external storage devices and printers. Provides data transfer speeds up to 5 Gbps.

### 2. Headset port

Connect headphones or a headset (headphone and microphone combo).

### Left



### 1. Power-adapter port

Connect a power adapter to provide power to your computer.

### 2. Power and battery-status light

Indicates the power state and battery state of the computer.

Solid white—Power adapter is connected and the battery is charging.

Solid amber—Battery charge is low or critical.

Off—Battery is fully charged.

NOTE: On certain computer models, the power and battery-status light is also used for system diagnostics. For more information, see the *Troubleshooting* section in your computer's *Service Manual*.

### 3. HDMI port

Connect to a TV or another HDMI-in enabled device. Provides video and audio output.

### 4. Thunderbolt 3 (USB Type-C) port with Power Delivery

Supports USB 3.1 Gen 2, DisplayPort 1.4, Thunderbolt 3 and also enables you to connect to an external display using a display adapter. Provides data transfer rates up to 10 Gbps for USB 3.1 Gen 2 and up to 40 Gbps for Thunderbolt 3. Supports Power Delivery that enables two-way power supply between devices. Provides up to 5 V power output that enables faster charging.

i) NOTE: A USB Type-C to DisplayPort adapter (sold separately) is required to connect a DisplayPort device.

### 5. microSD-card slot

Reads from and writes to the microSD-card.

## **Base**



### 1. Active-pen slot

Dock the active pen into the slot after use.

i NOTE: The active-pen slot is optional and not available for all configurations.

### 2. Touchpad

Move your finger on the touchpad to move the mouse pointer. Tap to left-click and two finger tap to right-click.

### 3. Left-click area

Press to left-click.

### 4. Right-click area

Press to right-click.

### 5. Power button with fingerprint reader

Press to turn on the computer if it is turned off, in sleep state, or in hibernate state.

When the computer is turned on, press the power button to put the computer into sleep state; press and hold the power button for 10 seconds to force shut-down the computer.

Place your finger on the power button to log-in with the fingerprint reader.

NOTE: You can customize power-button behavior in Windows. For more information, see *Me and My Dell* at www.dell.com/support/manuals.

## **Display**



### 1. Left microphone

Provides digital sound input for audio recording and voice calls.

### 2. Camera

Enables you to video chat, capture photos, and record videos.


### 3. Camera-status light

Turns on when the camera is in use.

### 4. Right microphone

Provides digital sound input for audio recording and voice calls.

## **Bottom**



### 1. Left speaker

Provides audio output.

### 2. Service Tag label

The Service Tag is a unique alphanumeric identifier that enables Dell service technicians to identify the hardware components in your computer and access warranty information.

### 3. Right speaker

Provides audio output.

## **Modes**

### **Notebook**



## **Tablet**



## **Stand**



## **Tent**



# Specifications of Inspiron 7591 2n1

# **Dimensions and weight**

Table 2. Dimensions and weight

Description	Values
Height:	
Front	15.85 mm (0.62 in.)
Rear	18.90 mm (0.74 in.)
Width	357.66 (14.08 in.)
Depth	248.61 mm (9.78 in.)
Weight (maximum)	2.19 kg (4.83 lbs)
	NOTE: The weight of your computer depends on the configuration ordered and the manufacturing variability.

### **Processors**

Table 3. Processors

Description	Values		
Processors	10 <sup>th</sup> Generation Intel Core i5	10 <sup>th</sup> Generation Intel Core i7	
Wattage	15 W	15 W	
Core count	4	4	
Thread count	8	8	
Speed	1.6 GHz	1.8 GHz	
Cache	6 MB	8 MB	
Integrated graphics	Intel UHD Graphics	Intel UHD Graphics	

## Chipset

### Table 4. Chipset

Description	Values
Chipset	Integrated in the processor
Processor	10 <sup>th</sup> Generation Intel Core i5/i7
DRAM bus width	64-bit/128-bit

Description	Values
Flash EPROM	32 MB
PCIe bus	Up to PCle Gen 3.0
External bus frequency	Not supported

# **Operating system**

- · Windows 10 Home (64-bit)
- · Windows 10 Professional (64-bit)

## **Memory**

### **Table 5. Memory specifications**

Description	Values
Slots	Two SODIMM slots
Туре	DDR4
Speed	2666 MHz
Maximum memory	16 GB
Minimum memory	8 GB
Memory size per slot	4 GB/8 GB/16 GB
Configurations supported	<ul> <li>8 GB (2 x 4 GB or 1 x 8 GB)</li> <li>12 GB (8 GB + 4 GB)</li> <li>16 GB (2 x 8 GB or 1 x 16 GB)</li> </ul>

## Ports and connectors

### Table 6. External ports and connectors

External:	
USB	<ul> <li>Two USB 3.1 Gen 1 ports</li> <li>Thunderbolt 3 (USB Type-C) port with Power Delivery</li> </ul>
Audio	One headset port
Video	One HDMI 2.0 port
Media card reader	One microSD-card slot
Docking port	Not supported
Power adapter port	One power adapter port
Security	Not supported

### Internal:

M.2

- One M.2 slot for WiFi and Bluetooth combo card
- · One M.2 2230/2280 slot for solid-state drive
- (i) NOTE: To learn more about the features of different types of M.2 cards, see the knowledge base article SLN301626.

## **Communications**

### Wireless module

Table 8. Wireless module specifications

Description		Values	
Model number	Intel Wi-Fi 6 AX201	Intel 9560 (160 MHz)	
Transfer rate	Up to 2.4 Gbps	Up to 1.73 Gbps	
Frequency bands supported	Dual band 2.4 GHz/5 GHz	Dual band 2.4 GHz/5 GHz	
Wireless standards	<ul> <li>WiFi 802.11a/b/g</li> <li>Wi-Fi 4 (WiFi 802.11n)</li> <li>Wi-Fi 5 (WiFi 802.11ac)</li> <li>Wi-Fi 6 (WiFi 802.11ax)</li> </ul>	<ul><li>WiFi 802.11a/b/g</li><li>Wi-Fi 4 (WiFi 802.11n)</li><li>Wi-Fi 5 (WiFi 802.11ac)</li></ul>	
Encryption	<ul><li>64-bit/128-bit WEP</li><li>ARX-CCMP</li><li>TKIP</li></ul>	<ul><li>64-bit/128-bit WEP</li><li>AES-CCMP</li><li>TKIP</li></ul>	
Bluetooth	Bluetooth 5.0	Bluetooth 5.0	

## **Audio**

### Table 9. Audio specifications

Description	Values	
Controller	Realtek ALC3254	
Stereo conversion	Supported	
Internal interface	High-definition audio	
External interface	One headset port (headset combo connector)	
Speakers	Two	
Internal speaker amplifier	Supported (Audio codec built-in amplifier)	
External volume controls	Using media-control shortcut keys	
Speaker output:		
Average	2 W	

Description		Values
	Peak	2.5 W
Subwoofer output		Not supported
Microphone		Digital-array microphones

## **Storage**

Your computer supports one 2.5-inch hard drive and one M.2 solid state drive.

(i) NOTE: The solid-state drive is the primary drive.

Table 10. Storage specifications

Form factor	Interface type	Capacity
M.2 2230 solid-state drive	PCle NVMe 3 x4	Up to 1 TB
M.2 2280 solid-state drive	PCle NVMe 3 x4	Up to 1 TB
One 2.5-inch hard drive	SATA AHCI 6 Gbps	Up to 2 TB

## Intel Optane memory (optional)

Intel Optane technology utilizes 3D XPoint memory technology and functions as a non-volatile storage cache/accelerator and/or storage device depending on the Intel Optane memory installed in your computer.

## Intel Optane Memory H10 with solid-state storage

Intel Optane Memory H10 with solid-state storage functions as both a non-volatile storage cache/accelerator (enabling enhanced read/write speeds for hard-drive storage) and a solid-state storage solution. It neither replaces nor adds to the memory (RAM) installed on your computer.

Table 11. Intel Optane Memory H10 with solid-state storage specifications

Description	Values
Interface	PCIe NVMe Gen 3 x2
	<ul><li>One PCle NVMe Gen3 x2 for Optane memory</li><li>One PCle NVMe Gen3 x2 3D QLC NAND Flash</li></ul>
Connector	M.2
Form factor	2280
Capacity (Optane memory)	Up to 32 GB
Capacity (QLC—solid-state storage)	Up to 512 GB

- NOTE: Intel Optane Memory H10 with solid-state storage is supported on computers that meet the following requirements:
  - 9<sup>th</sup> Generation or higher Intel Core i3/i5/i7 processors
  - Windows 10 64-bit version or higher (Anniversary Update)
  - Intel Rapid Storage Technology driver version 17.2 or higher

## Media-card reader

### Table 12. Media-card reader specifications

Description	Values
Туре	One microSD-card slot
Cards supported	micro-Secure Digital (microSD)

# Keyboard

### Table 13. Keyboard specifications

Description	Values
Туре	Backlit keyboard
Layout	QWERTY
Number of keys	<ul><li>United States and Canada: 101 keys</li><li>United Kingdom: 102 keys</li><li>Japan: 105 keys</li></ul>
Size	X = 18.70 mm key pitch Y = 18.05 mm key pitch
Shortcut keys	Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. To type the alternate character, press Shift and the desired key. To perform secondary functions, press Fn and the desired key.  i NOTE: You can define the primary behavior of the function keys (F1–F12) by changing Function Key Behavior in BIOS setup program.
	Keyboard shortcuts

## Camera

**Table 14. Camera specifications** 

Descriptio	on	Values
Number of	cameras	One
Туре		HD RGB camera
Location		Front camera
Sensor type	е	CMOS sensor technology
Resolution:		
	Still image	0.92 megapixel (HD)
	Video	1280 x 720 (HD) at 30 fps
Diagonal vie	ewing angle	74.9 degrees

# **Touchpad**

### **Table 15. Touchpad specifications**

Description	1	Values
Resolution:		
	Horizontal	3211
	Vertical	2431
Dimensions:		
	Horizontal	104.40 mm (4.11 in.)
	Vertical	80 mm (3.15 in.)

## **Touchpad gestures**

For more information about touchpad gestures for Windows 10, see the Microsoft knowledge base article 4027871 at support.microsoft.com.

## Power adapter

Table 16. Power adapter specifications

Description	Values	
Туре	65 W	90 W
Diameter (connector)	4.5 mm x 2.9 mm	4.5 mm x 2.9 mm
Input voltage	100 VAC-240 VAC	100 VAC-240 VAC
Input frequency	50 Hz-60 Hz	50 Hz-60 Hz
Input current (maximum)	1.60 A	1.50 A
Output current (continuous)	3.34 A	4.62 A
Rated output voltage	19.50 VDC	19.50 VDC
Temperature range:		
Operating	0°C to 40°C (32°F to 104°F)	0°C to 40°C (32°F to 104°F)
Storage	-40°C to 70°C (-40°F to 158°F)	-40°C to 70°C (-40°F to 158°F)

## **Battery**

**Table 17. Battery specifications** 

Description	V	Values		
Туре	3-cell "smart" lithium-ion (51 Whr)	4-cell "smart" lithium-ion (68 Whr)		
Voltage	11.40 VDC	7.60 VDC		
Weight (maximum)	0.25 kg (0.55 lb)	0.34 kg (0.75 lb)		

Description	Values		
Dimensions:			
Height	7.05 mm (0.28 in.)	7.05 mm (0.28 in.)	
Width	181 mm (7.12 in.)	233 mm (0.17 in.)	
Depth	95.90 mm (3.78 in.)	95.90 mm (3.78 in.)	
Temperature range:			
Operating	0°C to 35°C (32°F to 95°F)	0°C to 35°C (32°F to 95°F)	
Storage	-40°C to 65°C (-40°F to 149°F)	-40°C to 65°C (-40°F to 149°F)	
Operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	
Charging time (approximate)	4 hours (when the computer is off)  NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manger application. For more information on the Dell Power Manger see, <i>Me and My Dell</i> on www.dell.com.	4 hours (when the computer is off)  NOTE: Control the charging time, duration, start and end time, and so on using the Dell Power Manger application. For more information on the Dell Power Manger see, Me and My Dell on www.dell.com.	
		•	
Life span (approximate)	300 discharge/charge cycles	300 discharge/charge cycles	
Coin-cell battery	CR-2032	CR-2032	
Operating time	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	Varies depending on operating conditions and can significantly reduce under certain power-intensive conditions.	

# **Display**

### Table 18. Display specifications

Description	Values	
Туре	15-inch FHD	15-inch UHD
Panel technology	Narrow border with wide viewing angle (WVA)	Narrow border with wide viewing angle (WVA)
Luminance (typical)	200 nits	270 nits
Dimensions (Active area):		
Height	193.59 mm (7.62 in.)	193.59 mm (7.62 in.)
Width	344.16 mm (13.55 in.)	344.16 mm (13.55 in.)
Diagonal	394.87 (15.60 in.)	394.87 (15.60 in.)
Native resolution	1920 x 1080	3840 x 2160
Megapixels	2.07	8.29
Pixels per inch (PPI)	141	282

Description	Values	
Contrast ratio (min)	400:1	800:1
Response time (max)	35 msec rise/fall	35 msec rise/fall
Refresh rate	60 Hz	60 Hz
Horizontal view angle	+/- 85 degrees	+/- 85 degrees
Vertical view angle	+/- 85 degrees	+/- 85 degrees
Pixel pitch	0.179 mm	0.089 mm
Power consumption (maximum)	4.20 W	5.15 W
Anti-glare vs glossy finish	Glossy	Glossy
Touch options	Yes	Yes

# Fingerprint reader

### Table 19. Fingerprint reader specifications

Description	Values
Sensor technology	Capacitive
Sensor resolution	500 dpi
Sensor area	4.06 mm x 3.25 mm
Sensor pixel size	64 x 80 pixels

## **Video**

### Table 20. Discrete graphics specifications

### Discrete graphics

Controller	External display support	Memory size	Memory type
NVidia MX250	Not supported	2 GB	GDDR5

### Table 21. Integrated graphics specifications

### Integrated graphics

Controller	External display support	Memory size	Processor
Intel UHD Graphics	One HDMI 2.0 port	Shared system memory	10 <sup>th</sup> Generation Intel Core i5/i7

# **Computer environment**

Airborne contaminant level: G1 as defined by ISA-S71.04-1985

### Table 22. Computer environment

Description	Operating	Storage
Temperature range	0°C to 35°C (32°F to 95°F)	-40°C to 65°C (-40°F to 149°F)

Description	Operating	Storage
Relative humidity (maximum)	10% to 90% (non-condensing)	0% to 95% (non-condensing)
Vibration (maximum)*	0.66 GRMS	1.30 GRMS
Shock (maximum)	110 G†	160 G‡
Altitude (maximum)	-15.2 m to 3,048 m (-50 ft to 10,000 ft)	-15.2 m to 10,668 m (-50 ft to 35,000 ft)

 $<sup>\</sup>ensuremath{^{*}}$  Measured using a random vibration spectrum that simulates user environment.

 $<sup>\</sup>dagger$  Measured using a 2 ms half-sine pulse when the hard drive is in use.

## **Keyboard shortcuts**

NOTE: Keyboard characters may differ depending on the keyboard language configuration. Keys used for shortcuts remain the same across all language configurations.

Some keys on your keyboard have two symbols on them. These keys can be used to type alternate characters or to perform secondary functions. The symbol shown on the lower part of the key refers to the character that is typed out when the key is pressed. If you press shift and the key, the symbol shown on the upper part of the key is typed out. For example, if you press **2**, 2 is typed out; if you press **Shift + 2**, @ is typed out.

The keys F1-F12 at the top row of the keyboard are function keys for multi-media control, as indicated by the icon at the bottom of the key. Press the function key to invoke the task represented by the icon. For example, pressing F1 mutes the audio (refer to the table below).

However, if the function keys F1-F12 are needed for specific software applications, multi-media functionality can be disabled by pressing  $\mathbf{Fn} + \mathbf{Esc}$ . Subsequently, multi-media control can be invoked by pressing  $\mathbf{Fn}$  and the respective function key. For example, mute audio by pressing  $\mathbf{Fn} + \mathbf{F1}$ .

NOTE: You can also define the primary behavior of the function keys (F1-F12) by changing Function Key Behavior in BIOS setup program.

Table 23. List of keyboard shortcuts

Function key	Re-defined key (for multi-media control)	Behavior
C√x <sub>F1</sub>	Fn +	Mute audio
ري، <sub>F2</sub>	Fn +	Decrease volume
(1)) <sub>F3</sub>	Fn + <	Increase volume
	Fn +	Play/Pause
َكُرْ <sub>F5</sub>	Fn + 当 <sub>F5</sub>	Toggle keyboard backlight (optional)
;¢; <sub>F6</sub>	Fn + 🌣 <sub>F6</sub>	Decrease brightness
* <sub>F7</sub>	Fn + * * * * * * * * * * * * * * * * * *	Increase brightness
	Fn + 🗗	Switch to external display
prt sc F10	Fn + prt sc	Print screen

Function key	Re-defined key (for multi-media control)	Behavior
home F11	Fn + home	Home
end F12	Fn + end F12	End

The  $\mathbf{Fn}$  key is also used with selected keys on the keyboard to invoke other secondary functions.

Table 24. List of keyboard shortcuts

Function key	Behavior
Fn + B	Pause/Break
Fn + insert	Sleep
Fn + H	Toggle between power and battery-status light/hard-drive activity light
Fn + S	Toggle scroll lock
Fn + R	System request
Fn + ctrl	Open application menu
Fn + esc m	Toggle Fn-key lock
Fn + page up	Page up
Fn + page down	Page down

# Getting help and contacting Dell

## Self-help resources

You can get information and help on Dell products and services using these self-help resources:

### Table 25. Self-help resources

#### Self-help resources **Resource location** Information about Dell products and services

My Dell

Tips

Contact Support

Online help for operating system

Troubleshooting information, user manuals, setup instructions, product specifications, technical help blogs, drivers, software updates, and so on.

Dell knowledge base articles for a variety of computer concerns.

Learn and know the following information about your product:

- Product specifications
- Operating system
- Setting up and using your product
- Data backup
- Troubleshooting and diagnostics
- Factory and system restore
- **BIOS** information

www.dell.com





In Windows search, type Contact Support, and press Enter.

www.dell.com/support/windows

www.dell.com/support/linux

www.dell.com/support

- 1. Go to www.dell.com/support.
- 2. Type the subject or keyword in the Search box.
- 3. Click **Search** to retrieve the related articles.

See Me and My Dell at www.dell.com/support/manuals.

To locate the Me and My Dell relevant to your product, identify your product through one of the following:

- Select **Detect Product**.
- Locate your product through the drop-down menu under View
- Enter the Service Tag number or Product ID in the search

## **Contacting Dell**

To contact Dell for sales, technical support, or customer service issues, see www.dell.com/contactdell.

- NOTE: Availability varies by country/region and product, and some services may not be available in your country/region.
- NOTE: If you do not have an active internet connection, you can find contact information on your purchase invoice, packing slip, bill, or Dell product catalog.