

PERFORMANCE

Processor

Processor Family

Intel® Celeron®, Intel Pentium®, or 10th Generation Intel Core™ i3 / i5 / i7 / i9 Processor

Processor

Processor Name	Cores	Threads	Base Frequency	Max Frequency	Cache	Memory Support	Processor Graphics
Celeron G5900	2	2	3.4GHz	-	2MB	DDR4-2666	Intel UHD Graphics 610
Celeron G5905	2	2	3.5GHz	-	4MB	DDR4-2666	Intel UHD Graphics 610
Pentium Gold G6400	2	4	4.0GHz	-	4MB	DDR4-2666	Intel UHD Graphics 610
Core i3-10100	4	8	3.6GHz	4.3GHz	6MB	DDR4-2666	Intel UHD Graphics 630
Core i5-10400	6	12	2.9GHz	4.3GHz	12MB	DDR4-2666	Intel UHD Graphics 630
Core i5-10400F	6	12	2.9GHz	4.3GHz	12MB	DDR4-2666	-
Core i5-10500	6	12	3.1GHz	4.5GHz	12MB	DDR4-2666	Intel UHD Graphics 630
Core i7-10700	8	16	2.9GHz	4.8GHz	16MB	DDR4-2933	Intel UHD Graphics 630
Core i9-10900	10	20	2.8GHz	5.2GHz	20MB	DDR4-2933	Intel UHD Graphics 630

Operating System

- Windows® 10 Home 64
- Windows 10 Pro 64
- No operating system

Graphics

Graphics	Type	Memory	Connector	Max Resolution	Key Features
Intel UHD Graphics 610	Integrated	Shared	1x HDMI® 1.4, 1x VGA	3840x2160@30Hz(HDMI), 1920x1200@60Hz(VGA)	DirectX® 12
Intel UHD Graphics 630	Integrated	Shared	1x HDMI 1.4, 1x VGA	3840x2160@30Hz(HDMI), 1920x1200@60Hz(VGA)	DirectX 12
AMD Radeon™ 520	Discrete	1GB GDDR5	1x HDMI 1.4, 1x VGA	3840x2160@30Hz(HDMI), 2048x1536@85Hz(VGA)	DirectX 12
NVIDIA® GeForce® GT 730	Discrete	2GB GDDR5	1x HDMI 1.4, 1x VGA	3840x2160@60HZ(HDMI), 2048x1536@75Hz(VGA)	DirectX 12

Notes:

- Integrated graphics information and onboard video ports information are not applicable for all models without integrated graphics (for the details, please refer to processor section)

Monitor Support

Supports up to 2 independent displays via onboard ports (VGA and HDMI), more displays support via discrete graphics

Chipset

Intel B460 chipset

Memory

Memory Type

DDR4-2666

Memory Slots

Two DDR4 UDIMM slots, dual-channel capable

Memory Protection

Non-ECC

Max Memory

Up to 32GB DDR4-2666

Notes:

- The max memory is based on the test results with current Lenovo® memory offerings. The system may support more memory as the technology develops.

Storage

Storage Support

Up to 2 drives, 1x 3.5" HDD + 1x M.2 SSD

- 3.5" HDD up to 2TB
- M.2 SSD up to 1TB

RAID

Not support

Storage Type

Disk Type	Interface	RPM	Security
3.5" SATA HDD	SATA 6Gb/s	7.2K	-
M.2 2242 SSD	PCIe NVMe, PCIe 3.0 x2	-	-
M.2 2280 SSD	PCIe NVMe, PCIe 3.0 x4	-	-

Removable Storage

Optical

- DVD-ROM, SATA 1.5Gb/s, slim (9.0mm)
- DVD burner (DVD±RW), SATA 1.5Gb/s, slim (9.0mm)
- Not configured

Card Reader

- 7-in-1 card reader (SD, SDHC, SDXC, MMC, MS, MS-Pro, MMC plus)
- Not configured

Multi-Media

Audio Chip

High Definition (HD) Audio, Realtek® ALC623-CG codec

Speakers

Single speaker, 1.5W x1

Microphone

Not Support

Camera

Not Support

Power Supply

Power	Type	Efficiency	Key Features
180W	Fixed	85%	-
260W	Fixed	85%	-

DESIGN

Input Device

Keyboard

- Lenovo Calliope Keyboard (USB connector), black
- Lenovo Traditional Keyboard (USB connector), black
- Not configured

Mouse

- Lenovo Calliope Mouse (USB connector), black
- Lenovo Fingerprint Mouse (USB connector), black

- Not configured

Mechanical

Buttons

- Power button
- Optical drive eject button(for the models with ODD)

Form Factor

SFF (7.4L)

Dimensions (WxDxH)

100 x 304 x 270 mm (3.9 x 11.9 x 10.63 inches)

Weight

4.2 kg (9.26 lbs)

Case Color

Black

Bays

- 1x slim ODD bay
- 1x 3.5" disk bay

Expansion Slots

- One PCIe 3.0 x16
- One PCIe 3.0 x1
- Two M.2 slots (one for WLAN, one for SSD)

Stand

Not Support

Mounting

Not Support

CONNECTIVITY

Network

Onboard Ethernet

Gigabit Ethernet, 1x RJ45

Optional Ethernet

Not Support

WLAN + Bluetooth™

- Realtek RTL8822CE, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.0, M.2 card
- Realtek RTL8822CE-VS, 802.11ac Dual Band 1x1 Wi-Fi + Bluetooth 5.0, M.2 card
- Intel Dual Band Wireless-AC 3165, 802.11ac Dual Band 1x1 Wi-Fi + Bluetooth 4.2, M.2 Card
- Intel Wireless-AC 9260, 802.11ac Dual Band 2x2 Wi-Fi + Bluetooth 5.1, M.2 card
- Not configured

Ports

Front Ports

- 4x USB 3.2 Gen 1
- 1x headphone / microphone combo jack (3.5mm)
- 1x microphone (3.5mm)

Notes:

- The transfer speed of following ports will vary and, depending on many factors, such as the processing speed of the host device, file attributes and other factors related to system configuration and your operating environment, will be slower than theoretical speed.

USB 2.0: 480 Mbit/s;

USB 3.2 Gen 1 (SuperSpeed USB 5Gbps, formerly USB 3.0 / USB 3.1 Gen 1): 5 Gbit/s;

USB 3.2 Gen 2 (SuperSpeed USB 10Gbps, formerly USB 3.1 Gen 2): 10 Gbit/s;

USB 3.2 Gen 2x2 (SuperSpeed USB 20Gbps): 20 Gbit/s;

Thunderbolt™ 3: 40 Gbit/s;

FireWire 400: 400 Mbit/s;
FireWire 800: 800 Mbit/s;

Optional Front Ports

1x card reader

Rear Ports

- 2x USB 2.0
- 2x USB 3.2 Gen 1
- 1x serial (9-pin)
- 1x Ethernet (RJ-45)
- 1x HDMI 1.4 out
- 1x VGA
- 1x line-out (3.5mm)

Notes:

- For video ports on discrete graphics, please see graphics section

Optional Rear Ports

- 1x serial
- 1x parallel

Monitor Cable

HDMI to DVI Dongle

SECURITY & PRIVACY

Security

Security Chip

Firmware TPM 2.0 integrated in chipset

Physical Locks

- Kensington® Security Slot
- Padlock Loop
- (Optional) Smart Cable Clip
- Not configured

Chassis Intrusion Switch

Not Support

Fingerprint Reader

- Touch style fingerprint reader on mouse
- Not configured

BIOS Security

- Power-on password
- Administrator password
- Hard disk password
- USB port disablement

MANAGEABILITY

System Management

None

SERVICE

Warranty

Base Warranty

- 1-year depot service
- 1-year limited onsite service

ACCESSORIES

Bundled Accessories

Not Support

CERTIFICATIONS

Green Certifications

- EPEAT™ Silver
- ENERGY STAR® 8.0 (Not support Celeron, Pentium, or Core i with 3.5" HDD models)
- RoHS

Other Certifications

- TÜV Low Noise certified
- None

