# HP LaserJet Pro 4003dn Printer



# This HP printer powers office productivity by delivering blazing speed and reliable hardware.

These printers are built for maximum productivity with fast speeds and reliable hardware, delivering effortless everyday use from wherever work happens so you can focus more on your business.





This printer is intended to work only with cartridges that have a new or reused HP chip, and it uses dynamic security measures to block cartridges using a non-HP chip. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. A reused HP chip enables the use of reused, remanufactured, and refilled cartridges. More



at:







#### Maximum performance.

- Support your dynamic workteam with this high-speed printer, ideal for up to 10 users.
- Step up your workflow. HP Pro-class print speed reaches up to 42 ppm to meet high-demand environments.<sup>1</sup>
- Connect your way. Choose between Ethernet or high-speed USB.

### Maximum productivity.

- Don't wait for printjobs. With no warm up time your printer is always ready.
- Get productivity in the palm of your hand. Print and save time with Shortcuts from HP Smart.
- Work without delays or messes, with cartridges featuring auto seal removal.

### Seamless management.

- Connect your HP printers. Robust features and smart tools help your people do more, wherever work happens.
- Manage your printer fleet from a single dashboard. Smart Admin makes the experience seamless for IT and users.<sup>3</sup>
- Centralize print management for your enterprise. HP Web Jetadmin makes it easy with its suite of features.<sup>4</sup>
- Set configuration policies and validate settings universally with HP Security Manager.<sup>9</sup>

## HP Wolf Pro Security.

- Get printer fleet security out of the box. Preconfigured settings mean it's ready when you are.
- Validate before you operate. Secure setup uses boot code signature before powering on.
- Get ahead of potential security risks. Routine updates help you stay resilient against the latest threats.
- Add a layer of security. PIN/pull option authenticates your print jobs only when you're present.

# Product walkaround

## HP LaserJet Pro 4003dw Printer

- 1. Print speeds up to 40 ppm A4
- 2. Automatic 2-sided printing
- 3. High-speed USB port, build in fast Ethernet
- 4. Pre-configured security settings
- 5. Designed for worksteams of up to 10 users



# Accessories, Supplies and Support

Supplies	W1030XC HP Black Contract Laser Jet Toner Cartridge (Average cartridge yields 10,000 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1510A HP 151A Black Laser Jet Toner Cartridge (Average cartridge yields 3,050 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
	W1510X HP 151X Black Laser Jet Toner Cartridge (Average cartridge yields 9,700 standard pages. Declared yield value in accordance with ISO/IEC 19752.)
Accessories	D9P29A HP LaserJet Pro 550-sheet Feeder Tray
Service and Support	U42HDE HP 2 year Next Business Day Service for LaserJet Pro 400x   U42HFE HP 3 year Next Business Day Service for LaserJet Pro 400x   U42HFE HP 3 year 4 hour 9x5 Service for LaserJet Pro 400x   U42HKE HP 3 year 4 hour 9x5 Service for LaserJet Pro 400x   U42HKE HP 3 year A hour 9x5 Service for LaserJet Pro 400x   U42HKE HP 3 year Return to Depot Service for LaserJet Pro 400x   U42HKE HP 1 year Post Warranty Next Business Day Service for LaserJet Pro 400x   U42HSE HP 1 year Post Warranty Next Business Day Service for LaserJet Pro 400x   U42HSE HP 1 year Post Warranty 4 hour 9x5 Service for LaserJet Pro 400x   U42HVPE HP 1 year Post Warranty Service for LaserJet Pro 400x   U42HVPE HP 1 year Post Warranty Return to Depot Service for LaserJet Pro 400x   U42HVPE HP 1 year Post Warranty Return to Depot Service for LaserJet Pro 400x   U42HVPE HP 1 year Post Warranty Return to Depot Service for LaserJet Pro 400x   U42HVPE HP 1 year Post Warranty Return to Depot Service for LaserJet Pro 400x   U42HVPE HP 1 year Post Warranty Return to Depot Service for LaserJet Pro 400x   U42HVPE HP 1 year Post Warranty Return to Depot Service for LaserJet Pro 400x   U42HVPE HP 1 year Post Warranty Return to Depot Service for LaserJet Pro 400x   U42HVPE HP 1 year Post Warranty Return to Depot Service for LaserJet Pro 400x

# Technical specifications

Model	HP LaserJet Pro 4003dn Printer
Product number	26094
unctions	Print
iontrol panel	2-line LCD; OK button; Left button; Right button; Cancel button; Back button; Ready LED; Error LED; Wi-Fi LED (only for wireless bundle)
rint	
rint technology	Laser
rint speed <sup>7</sup>	Black (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 34 ipm
irst page out <sup>9</sup>	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 8.8 sec
rint resolution	Black (best): Fine Lines (1200 x 1200 dpi); Technology: HP FastRes1200, HP ProRes1200, Economode
fonthly duty cycle	Up to 80,000 pages A4; Recommended monthly page volume: 750 to 4,000
rinter smart software features <sup>3</sup>	Auto duplex and booklet printing, N-up printing, collation, watermarks, install printer driver only, Economode for toner savings, accepts a variety of paper sizes and types
tandard print languages	HP PCL 5, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, PWG Raster
onts and typefaces	84 scalable TrueType fonts
rint area	Print margins Top: 5 mm, Bottom: 5 mm, Left: 4 mm, Right: 4 mm, Maximum print area : 207.4 x 347.1 mm
rocessor speed	1200 MHz
onnectivity	-
andard	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)
obile printing capability	HP Smart App; Apple AirPrint <sup>111</sup> ; Mopria <sup>110</sup> Certified
upported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-uP port 9100 Direct Mode, LPD (raw queue support only), Apple AirPrint®, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutolP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), Security and Certificate management; Management; Manual, IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), Security and Certificate management; Management; SMMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
etwork capabilities	Yes, va built-in 10/100/10008ase-1X Ethernet, Gigabit; Auto-crossover Ethernet; Authentication via 802.1X (does not apply to D bundles)
ard disk	None
emory	Standard: 256 MB (Maximum: 256 MB
edia handling	-
imber of paper trays	Standard: 2 (Maximum: 3
edia types	Paper (plain, EcoFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels
edia size	Custom (metric). Tray 1: 76 x 127 to 216 x 356 mm; Tray 2; optional Tray 3: 104.9 x 148.5 to 2165.9 x 356.6 mm
edia handling	Standard input: 100-sheet multipurpose Tray 1, 250-sheet input Tray 2 Standard output: 150-sheet output bin Optional Input: Optional third 550-sheet tray
edia weight	Tray 1: 60 to 200 g/m²; Tray 2, Optional 550-sheet Tray 3: 60 to 120 g/m²
put capacity	Tray 1: Sheets: 100; envelopes: 10 Tray 2: Sheets: 250 Tray 3: Sheets: 550 Maximum: Up to 900 sheets
utput capacity	Standard: Up to 150 sheets Envelopes: Up to 10 envelopes Maximum: Up to 150 sheets
ompatible operating systems	Windows 11; Windows 10; Android; 105; Mobile 05; mac05 10.15 Catalina; mac05 11 Big Sur; mac05 12 Monterey; mac05 13 Ventura; Chrome 0S
ompatible network operating systems	Windows Server; Linux; Citrix; UNIX; Novell
linimum system requirements	Windows: 2 GB available hard disk space; Internet connection or USB port Internet browser. For additional 0S hardware requirements see microsoft.com Mac 2 GB available hard drive space; Internet connection or USB port Internet browser. For additional 0S hardware requirements see apple.com
oftware included	No software solutions are included in the Box only on http://thp.com; http://123.hp.com
ecurity management	Management security: SNMP v1 v2 v3, SSL/TLS (HTTPS), 802.1x authentication; wireless network security: WPA (Wi-Fi Protected Access) WPA2 WPA3, WEP encryption (64 and 128 bit), 802.1x authentication (EAP-PEAP, LEAP, EAP-TLS) with RADIUS servers
rinter management	HP Printer Assistant; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent (Part of HP WebJetAdmin); HP WS Pro Proxy Agent (Part of HP WebJetAdmin); Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver; Deployment Utility - Managed Printing Administrator)
imensions and weight	
rinter dimensions (W x D x H)	Minimum 381 x 357 x 216 mm, Maximum 381 x 634 x 241 mm
rinter weight	8.56kg
perating environment	Temperature: 10 to 32.5°C Humidity: 30 to 70% RH
torage conditions	Temperature - 20 to 40%
coustics	Acoustic power emissions 6.6 B(A) Acoustic pressure emissions 54 dB(A)
ower	Requirements: 110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier); Consumption: 495 waits (active printing). 55 waits (active), 0.5 waits (sleep), 0.5 (Auto Off/Wake on LAN, enabled at shipment), 0.05 waits (Auto-off/Manual-on), 0.05 (Manual Off); Typical Electricity Consumption (TEC <sup>11</sup> - 0.36 kWh/Week (Blue Angel); 0.36 kWh/Week (Energy Star 3.0); Power supply type. Internal (built-in) Power Supply
nergy savings feature technology	HP Auto-On/Auto-Off Technology, Instant-on Technology, EcoSmart black toner, Power save
ertifications <sup>1</sup>	Electromagnetic emission standard: USPR 32:2012 Class B / EN 5503:2012 Class B; USPR 35:2016 / EN 5503:2017 Class B; EN IEC 61000-3-2:2019; EN 61000-3-3:2013+A1:2019 EN 61000-4-12:2016; FCC CFR 47 Part 15 Class B; ICES-003, Issue 7 Class B IT ECD Declaration Bue Angle CompanyInth No, please refer to the ECI (Ecolabel Comparison Information) document
	Recyclable through HP Planet Partners; Contains post-consumer recycled plastic
ustainable impact specifications	
	Made in Philippines, Made in Vetnam
Sustainable impact specifications Country of origin What's in the box <sup>2</sup>	

#### Footnotes

<sup>1</sup>Measured using ISO/IEC 24734 and excludes first set of test documents. For more information, see hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>2</sup> Requires HP app download available at www.hp.com/qo/mobileprinting. Certain features are available in English language only, and may vary by printer model/country, and between desktop/mobile applications. HP reserves the right to introduce charges for use of functionality facilitated by the HP app. Internet access required and may not be available in all countries. HP account required for full functionality. Fax capabilities are for sending a fax only. List of supported operating systems available in app stores. See details at www.hpsmart.com.

<sup>4</sup>HP Web Jetadmin is available for download at no additional charge at hp.com/go/webjetadmin.

<sup>5</sup>HP calculations based on ENERGY STAR® normalized TEC data comparing HP LaserJet 200-500 series printers at launch. See hp.com/ecosmart

<sup>6</sup>HP Auto-On/Auto-Off Technology capabilities subject to printer and settings; may require a firmware upgrade.

<sup>8</sup>Internet access required and must be purchased separately. Wireless operations are compatible with 2.4 GHz and 5.0 GHz operations only. Supports both 5.0 GHz and 2.4 GHz using up to 12 non-overlapping channels vs. only 3 non-overlapping channels for 2.4 GHz only. Supports 5.0 GHz band (up to 150 mbps) v. 2.4 GHz band (up to 72.2 mbps). Learn more at: www.hp.com/go/mobileprinting

<sup>9</sup>HP JetAdvantage Security Manager must be purchased separately. To learn more, please visit hp.com/go/securitymanager.

#### Technical specifications disclaimers

<sup>1</sup> EPEAT® registered where applicable. EPEAT registration varies by country. See http://www.epeat.net for registration status by country.

<sup>2</sup> For yield information on the cartridge included with your printer, see http://www.hp.com/go/toneryield. Yield values measured in accordance with ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors.

<sup>3</sup> Job Storage feature requires a purchase of separate USB flash drive with a minimum of 16 GB capacity

<sup>4</sup> Typical Electricity Consumption (TEC) rating represents the typical electricity consumed by a product during 1 week, measured in kilowatt-hours (kWh).

<sup>5</sup> Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device and 230V for Blue Angel. Please be aware that HP Laser Jet Pro 4001 and MFP 4101 series products are ENERGY STAR 3.0 certified in the US and the functionally equivalent HP Laser Jet Pro 4003 and MFP 4103 series meet ecolabel energy efficiency limits.

<sup>6</sup> Declared yields based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/toneryield

<sup>7</sup> Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

<sup>8</sup> Measured using ISO/IEC 24734 Feature Performance Test, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration,software application, driver, and document complexity. <sup>9</sup> Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.











© Copyright 2023 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. mv-en November 2023

